

Rittal – The System.

Faster – better – everywhere.

► Slide rails, static installation for TS IT – DK 5501.430

Date : Aug 11, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Slide rails, static installation for TS IT – DK 5501.430

created: 11.08.2016 on www.rittal.com/com-en



Product description

Description:	Side system punchings for mounting accessories and cooling components that expel to the side.
Benefits:	Simply locate into the system punchings of the TS IT
Applications:	For mounting between the front and the rear pair of mounting angles To support heavy installed equipment
Material:	Sheet steel
Surface finish:	Zinc-plated
Supply includes:	Assembly parts
Note:	Effective contact surface 35 mm per side
Packs of:	2 pc(s).
EAN:	4028177678989
Customs tariff number:	73269098
eCl@ss 5.1:	27182504
eCl@ss 7.0:	27182590
ETIM 6.0:	EC002620

Product features

Dimensions: Length: 475 mm

Distance between levels: 545 mm

Contact surface: Width: 35 mm

Units: 1 U

Load capacity: 80 kg, static load

Weight/pack: 1.29 kg

Downloads

Documentation:  [Instructions](#)

CAD drawings: Request