

Rittal – The System.

Faster – better – everywhere.

► Component shelf, pull-out 482.6 mm (19") for TS IT, TE – DK 5501.715

Date : Aug 11, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP




Component shelf, pull-out 482.6 mm (19") for TS IT, TE – DK 5501.715

created: 11.08.2016 on www.rittal.com/com-en



Product description

Description:	For mounting between two 482.6 mm (19") mounting levels, on 482.6 mm (19") mounting angles or 482.6 mm (19") mounting frames.
Benefits:	Tool-free, time-saving one-man assembly from the enclosure front Self-locking Fully extendible
Applications:	Depth-variable to adapt to individual distances between levels
Material:	Sheet steel
Surface finish:	Base: Spray-finished Telescopic slides/installation kit: Zinc-plated
Colour:	RAL 9005
Supply includes:	Component shelf, slotted Telescopic slide with mounting kit Assembly parts
Packs of:	1 pc(s).
EAN:	4028177679153
Customs tariff number:	73269098
eCl@ss 5.1:	27189218

eCl@ss 7.0:	27189261
ETIM 6.0:	EC002620
Product features	
To fit:	Enclosure type: TS IT Enclosure type: TE
Dimensions:	Width: 419 mm Depth: 500 mm
Distance between levels:	min.: 400 mm max.: 600 mm
Units:	1.5 U
Load capacity:	100 kg
Weight/pack:	7 kg
Downloads	
Documentation:	 Instructions (FR, EN, DE)
CAD drawings:	Request