

Rittal – The System.

Faster – better – everywhere.

CMC III CAN bus connection cable – DK 7030.092

Date : Aug 12, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



CMC III CAN bus connection cable – DK 7030.092

created: 12.08.2016 on www.rittal.com/com-en



Product description

Description: This can be used to connect the PU with the CAN bus sensors III, units III, control units III as a bus. Also for cabling together.

Applications: For connecting the CAN bus units.
Information and power transfer of the individual CAN bus units.

Supply includes: Cable run

Packs of: 1 pc(s).

EAN: 4028177659438

Customs tariff number: 85444290

eCl@ss 5.1: 27189253

eCl@ss 7.0: 27189253

ETIM 6.0: EC002627

Product features

Dimensions: Length: 1.5 m

Operating temperature: Operation (environment): +0°C...+55°C

Ambient humidity Operation (environment): 5 % - 95 %

(non-condensing):

Interfaces/connections: Connector (type): RJ45
Connector (type): RJ45

Weight/pack: 0.06 kg

Downloads

Data sheets: Graphics (DE)

CAD drawings: Request
