Rittal - The System.

Faster – better – everywhere.

CMC III CAN bus connection cable – DK 7030.095

Date : Aug 12, 2016



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

CMC III CAN bus connection cable – DK 7030.095

created: 12.08.2016 on www.rittal.com/com-en



Product description	1
Description:	This can be used to connect the PU with the CAN bus sensors III, units III, control units III as a bus. Also for cabling together.
Applications:	For connecting the CAN bus units. Information and power transfer of the individual CAN bus units.
Supply includes:	Cable run
Packs of:	1 pc(s).
EAN:	4028177659469
Customs tariff number:	85444290
eCl@ss 5.1:	27189253
eCl@ss 7.0:	27189253
ETIM 6.0:	EC002627
Product features	
Dimensions:	Length: 10 m
Operating temperature:	Operation (environment): +0°C+55°C
Ambient humidity	Operation (environment): 5 % - 95 %

© Rittal 2016

(non-condensing):

Connector (type): RJ45 Connector (type): RJ45 Interfaces/connections:

Weight/pack: 0.4 kg

Downloads

Data sheets: Graphics (DE)

CAD drawings: Request

© Rittal 2016 2