

Rittal – The System.

Faster – better – everywhere.

Door kit – DK 7030.261

Date : Aug 12, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Door kit – DK 7030.261

created: 12.08.2016 on www.rittal.com/com-en



Product description

Description: For automatic opening of a rack's doors in emergency situations. Connected and activated via the Door Control Module.

Supply includes: Spindle motor
Assembly parts

Note: The power supply to the power pack must be protected by a UPS.

Packs of: 2 pc(s).

EAN: 4028177698611

Customs tariff number: 85444290

eCl@ss 5.1: 27189253

eCl@ss 7.0: 27399290

ETIM 6.0: EC001770

Product features

Design: for climate control applications with Liquid Cooling Package (LCP)
for the connection to DCM 7030.500
Note: Due to high negative pressures, a spindle motor for every door is attached to the TS IT roof plate

Operating Operation (environment): -5°C...+45°C

temperature:

Ambient humidity (non-condensing): Operation (environment): 5 % - 95 %

Rated current: (max.): 900 mA

Weight/pack: 4 kg

Approvals

Declarations:  [Declaration of conformity \(DE\)](#)

Downloads

Documentation:  [Instructions \(FR, EN, DE\)](#)
 [White paper](#)
EN

CAD drawings: Request