

Rittal – The System.

Faster – better – everywhere.

► Cable routing bars for universal use – DK 7111.212

Date : Aug 11, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cable routing bars for universal use – DK 7111.212

created: 11.08.2016 on www.rittal.com/com-en



Product description

Description: For structured routing of entire cable bundles, the cable bars may be secured to a variety of different positions inside the enclosure.

Applications: All-round attachment for universal use for vertical and horizontal cable routing inside the enclosure or within the distributor level.

Material: Support: Sheet steel
Cable routing bars, connection combs: Plastic

Colour: RAL 9005

Supply includes: Cable routing bars for universal use
Connection combs

Note: Size of individual chambers (WxD) approximately 34 x 80 mm

Packs of: 10 pc(s).

EAN: 4028177519541

Customs tariff number: 73269098

eCl@ss 5.1: 27189224

eCl@ss 7.0: 27400604

ETIM 6.0: EC000322


Product features

Units: 1 U

**Number of connection
combs:** 5

Weight/pack: 0.85 kg

Downloads

Documentation:  [Instructions \(FR, NL, IT, ES, DE, EN\)](#)

CAD drawings: Request