

Rittal – The System.

Faster – better – everywhere.

Slide rails, static installation for TS IT – DK 5501.410

Date : Aug 11, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP




Slide rails, static installation for TS IT – DK 5501.410

created: 11.08.2016 on www.rittal.com/com-en



Product description

Description:	Side system punchings for mounting accessories and cooling components that expel to the side.
Benefits:	Simply locate into the system punchings of the TS IT
Applications:	For mounting between the front and the rear pair of mounting angles To support heavy installed equipment
Material:	Sheet steel
Surface finish:	Zinc-plated
Supply includes:	Assembly parts
Note:	Effective contact surface 35 mm per side
Packs of:	2 pc(s).
EAN:	4028177678965
Customs tariff number:	73269098
eCl@ss 5.1:	27182504
eCl@ss 7.0:	27182590
ETIM 6.0:	EC002620

Product features	
Dimensions:	Length: 275 mm
Distance between levels:	345 mm
Contact surface:	Width: 35 mm
Units:	1 U
Load capacity:	80 kg, static load
Weight/pack:	0.84 kg
Downloads	
Documentation:	 Instructions
CAD drawings:	Request