## Rittal - The System.

Faster – better – everywhere.

## Slide rails, static installation for TS IT − DK 5501.420

Date: Aug 11, 2016



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## Slide rails, static installation for TS IT – DK 5501.420 created: 11.08.2016 on www.rittal.com/com-en



Product description	
Description:	Side system punchings for mounting accessories and cooling components that expel to the side.
Benefits:	Simply locate into the system punchings of the TS IT
Applications:	For mounting between the front and the rear pair of mounting angles To support heavy installed equipment
Material:	Sheet steel
Surface finish:	Zinc-plated
Supply includes:	Assembly parts
Note:	Effective contact surface 35 mm per side
Packs of:	2 pc(s).
EAN:	4028177678972
Customs tariff number:	73269098
eCl@ss 5.1:	27182504
eCl@ss 7.0:	27182590
ETIM 6.0:	EC002620

© Rittal 2016

Product features	
Dimensions:	Length: 375 mm
Distance between levels:	445 mm
Contact surface:	Width: 35 mm
Units:	1 U
Load capacity:	80 kg, static load
Weight/pack:	1.12 kg
Downloads	
Documentation:	Instructions     Instructions
CAD drawings:	Request

© Rittal 2016 2